

Contents of Volume 158

Vol. 158 Nos. 1–2

Preface	1
¹³ C MAS NMR mechanistic study of n-hexane conversion over Pt supported on ceria and alumina I.I. Ivanova, I.A. Chernova-Kharaeva (Moscow, Russian Federation), L. Filotti, F. Bozon-Verduraz (Paris, France), G.A. Shafeev (Moscow, Russian Federation), G. Daelen and J.B. Nagy (Namur, Belgium)	3
2D multiple quantum ²⁷ Al NMR and ²⁹ Si NMR characterization of levyne P. Lentz, J.B. Nagy (Namur, Belgium), L. Delevoye, Y. Dumazy, C. Fernandez, J.-P. Amoureux (Villeneuve d'Ascq, France), C.V. Tuoto and A. Nastro (Rende, Italy)	13
²⁹ Si and ¹³ C MAS-NMR characterization of surface modification of micelle-templated silicas during the grafting of organic moieties and end-capping P. Sutra, F. Fajula, D. Brunel (Montpellier, France), P. Lentz, G. Daelen and J.B. Nagy (Namur, Belgique)	21
Characterisation of alkali ions in the Y-type zeolites by multi MAS NMR studies I. Hannus, I. Kiricsi (Szeged, Hungary), P. Lentz and J.B. Nagy (Namur, Belgium)	29
In situ MAS ¹³ C-NMR studies of surface intermediates formed upon interaction of CCl ₂ F ₂ (CFC-12) with NaY-FAU and HZSM-5-MFI zeolites Z. Kónya, I. Hannus, I. Kiricsi (Szeged, Hungary), P. Lentz and J.B. Nagy (Namur, Belgium)	35
⁵¹ V MAS NMR characterization of V–Ce–O catalysts. R. Cousin, D. Courcot, E. Abi-Aad, S. Capelle (Dunkerque, France), J.P. Amoureux, M. Dourdin, M. Guelton (Villeneuve d'Ascq, France) and A. Aboukaïs (Dunkerque, France)	43
NMR of molecules and surfaces using laser-polarized xenon T. Pietraß (Socorro, NM, USA)	51
Molecular and physicochemical aspects of the interactions of the tuberculostatics ofloxacin and rifampicin with liposomal bilayers: a ³¹ P-NMR and DSC study M. Bermúdez, E. Martínez, M. Mora, M.L. Sagristá and M.A. de Madariaga (Barcelona, Spain)	59
Characterization of surface defects in CeO ₂ modified by incorporation of precious metals from chloride salts precursors: an EPR study using oxygen as probe molecule J. Soria, J.C. Conesa and A. Martínez-Arias (Madrid, Spain)	67
Synthesis of high surface area boria–alumina mixed oxides characterization by ¹¹ B- and ²⁷ Al-NMR F. Dumeignil, M. Guelton, M. Rigole, J.-P. Amoureux, C. Fernandez and J. Grimblot (Villeneuve d'Ascq, France)	75
Magnetic resonance of micrometer size Li-metal colloids in electron-irradiated Li ₂ O crystals F. Beuneu, P. Vajda (Palaiseau, France) and O.J. Zogal (Wroclaw, Poland)	83
Structure and dynamics of polymer colloidal systems from ¹ H- and ¹⁹ F-NMR J. Preuschen, J. Rottstegge and H.W. Spiess (Mainz, Germany)	89
Investigation of paramagnetic catalysts by solid state NMR spectroscopy A. Tuel, L. Canesson and J.C. Volta (Villeurbanne, France)	97
The structure of catalytically active vanadium sites in V–Sb oxides: an EPR study of asynthesized and tungsten promoted working catalysts A. Brückner (Berlin, Germany) and H.-W. Zanthoff (Bochum, Germany)	107
NMR study of role of the cross-relaxation effect in the cortex and the nucleus rabbit lens fragments J. Bodurka (Bydgoszcz, Poland), G. Buntkowsky (Berlin, Germany), A. Gutsze and W. Masierak (Bydgoszcz, Poland)	115
Structural characterization by ²⁷ Al solid-state NMR and neutron powder diffraction of intermetallic alloys in the Al–Si–Ni system F. Lefebvre, B.F. Mentzen, F. Bosselet and J.C. Viala (Villeurbanne, France)	121
ESR study of the thermal decomposition of V-containing layered double hydroxides K. Bahrnowski (Kraków, Poland), R. Dula (Kraków, Poland), F. Kooli (Ibaraki, Japan) and E.M. Serwicka (Kraków, Poland)	129
¹³ C-MAS-NMR investigation of solutions saturated with fullerenes: study of the anomalous solubility behaviour R.J. Doome, A. Fonseca and J. B. Nagy (Namur, Belgium)	137
Enhanced resolution of Al sites in the molecular sieve SAPO-37 by ²⁷ Al MQ MAS NMR T.-H. Chen, B.H. Wouters and P.J. Grobet (Leuven, Belgium)	145
Interactions between pyrimidine bases derivatives and serum albumin in the presence of urea A. Sułkowska (Sosnowiec, Poland)	151

On the silica edge, an NMR point of view	
A.P. Legrand, H. Hommel and J.B. d'Espinose de la Caillerie (Paris, France)	157
Insight into interfacial coordination chemistry through EPR spectroscopy	
Z. Sojka (Cracow, Poland) and M. Che (Paris, France)	165
Paramagnetic complexes of the probe molecules with electron accepting sites on the surface of $M_2O_3-ZrO_2$: ($M = Al, Ga$)	
Y.N. Pushkar, O.O. Parenago, A.V. Fionov and E.V. Lunina (Vorobyovy Gory, Russia)	179
Application of in situ MAS NMR for elucidation of reaction mechanisms in heterogeneous catalysis	
I.I. Ivanova (Moscow, Russia).	189
Use of ESR and ^{129}Xe NMR spectroscopy to characterize CuZSM-5 zeolite synthesized in the presence of a copper-phthalocyanine complex	
A. Gédéon and J. Fraissard (Paris, France)	201
Interaction of H_2O and CD_3OH with sulfuric acid studied by 1H -NMR: broad-line at 4 K and high resolution at 300 K	
P. Batamack and J. Fraissard (Paris, France)	207
1H -NMR study of heterogeneous adsorbent-adsorbate (water, methanol) equilibria at 4 K: application to the acid strength of solids	
J. Fraissard and P. Batamack (Paris, France)	211
NMR applied to zeolite synthesis	
A.T. Bell (Berkeley, CA, USA)	221
Electron spin resonance studies of copper complexes incorporated in zeolites and mesoporous molecular sieves	
W. Böhlmann, A. Pöpl and D. Michel (Leipzig, Germany)	235
An EPR investigation on the reactivity of oxygen from ceria modified bimetallic Pt-Rh/ Al_2O_3 catalysts in the CO + NO reaction	
J.J. Lecomte, P. Granger, L. Leclercq (Villeneuve d'Ascq, France), J.F. Lamonier, A. Aboukaïs (Dunkerque, France) and G. Leclercq (Villeneuve d'Ascq, France)	241
^{129}Xe NMR study of xenon adsorbed on $V_2O_5/TiO_2/SiO_2$ catalysts	
V.V. Tersikh (Novosibirsk, Russia), M. Seidl and H. Knözinger (München, Germany)	249
High-temperature multinuclear magnetic resonance studies of vanadia catalysts for SO_2 oxidation	
O.B. Lapina, V.V. Tersikh, A.A. Shubin (Novosibirsk, Russia), K.M. Eriksen and R. Fehrmann (Lyngby, Denmark)	255
NMR in microemulsions. NMR translational diffusion studies of a model microemulsion	
O. Söderman and M. Nydén (Lund, Sweden)	273
2H -NMR in liquid crystals and membranes	
M.F. Brown and A.A. Nevzorov (Tucson, AZ, USA)	281
NMR of microporous compounds: From in situ reactions to solid paving	
F. Taulelle, M. Haouas, C. Gerardin, C. Estournes (Strasbourg, France), T. Loiseau and G. Ferey (Versailles, France)	299
Calendar	313
Vol. 158 No. 3	
Structure and affinity towards Cd^{2+} , Cu^{2+} , Pb^{2+} of synthetic colloidal amorphous aluminosilicates and their precursors	
L. Denaix (Villeneuve d'Ornon, France), I. Lamy (Versailles, France) and J.Y. Bottero (Les Milles, France)	315
Influence of chemical pretreatment on the surface properties of silicon nitride powder	
B.V. Zhmud (Stockholm, Sweden), J. Sonnefeld (Jena, Germany) and L. Bergström (Stockholm, Sweden)	327
Characterization of chemical polishing materials (monomodal and bimodal) by means of acoustic spectroscopy	
A.S. Dukhin and P.J. Goetz (NY, USA).	343
Fluctuations in nematics near Fredericksz and flexoelectric transitions	
V.P. Romanov and G.K. Sklyarenko (St. Petersburg, Russia)	355
Thermogravimetric and 1H NMR spectroscopy studies of water on silicalites	
V.V. Turov (Kiev, Ukraine), S. Chodorowski, R. Leboda, J. Skubiszewska-Zięba (Lublin, Poland) and V.V. Brei (Kiev, Ukraine)	363
Copolymer polyelectrolyte adsorption onto titanium dioxide	
A. Pina, E. Nakache (Caen, France), B. Feret (Levallois Perret, France) and P. Depaetere (Caen, France).	375
Theoretical investigation of water sorption in perfluorinated sulfocationic membranes	
Y.K. Tovbin and N.F. Vasyatkin (Moscow, Russia)	385
Pore volumes of activated carbons by wetting in saturated liquid mixtures	
J. Goworek, A. Borówka and R. Kusak (Lublin, Poland).	399
Calendar	409
Author Index	411
Subject Index	413
Volume Contents	417

